

2022 **PRODUCT CATALOG**



CAMO[®]
The Better Way to Build a Deck

BUILD YOUR DECK UP TO 5X FASTER

ANY DECK BOARD, SUBSTRUCTURE, DESIGN, OR DESIRED FINISH.
CAMO® HELPS YOU BUILD BETTER.



FASTENERS

UNIVERSAL DECK CLIPS & SCREWS

Any fastening method for any board.



LEVER®

BOARD BENDING & LOCKING TOOL

Lock any board on wood or metal joists.



DRIVE™

STAND-UP DECK FASTENING TOOL

Fasten Collated Edge and Face Screws and CAMO Universal Deck Clips.



CLIPDRIVE™

FASTENING TOOL FOR CAMO DECK CLIPS

Fasten CAMO Universal Deck Clips while standing.



CONTENTS

FASTENER & TOOL SELECTOR	4
DRIVE™ SYSTEMS	6
CLIPDRIVE	6
UNIVERSAL DECK CLIPS	8
DRIVE	10
COLLATED SCREWS	12
DRIVE SYSTEM ACCESSORIES	14
MARKSMAN SYSTEM	16
MARKSMAN PRO TOOLS	17
EDGE SCREWS	18
MARKSMAN ACCESSORIES	20
LEVER®	22
EXTERIOR SCREWS	24
DECK	25
COMPOSITE	27
TRIM	30
STRUCTURAL	34
EXTERIOR ACCESSORIES	36
STAINLESS STEEL FASTENERS	38
DECK SCREWS	40
COMPOSITE SCREWS	42
EDGE SCREWS	44
TRIM SCREWS	45
BITS	48
HAND DRIVE NAILS	49
COLLATED NAILS	50

FIND THE RIGHT CAMO® FASTENER BY STARTING WITH YOUR BOARDS	BOARD PROFILE	FASTENING METHOD	FASTENERS					
	 SQUARE  GROOVED	EDGE CLIP FACE	 EDGE (Collated and Hand Drive)  COMPOSITE (Collated and Hand Drive)  DECK (Hand Drive)  FACE SCREW (Collated-For Pressure Treated)	 STARTER First Board  EDGE® 90° Patterns  EDGEX® Angled Patterns  EDGEXMETAL® Angled Patterns	FOR WOOD JOISTS	METAL JOISTS	 NEVER-MISS™ Guide Included with CAMO Clips	
 Pressure Treated Lumber (Wet)	SQUARE	EDGE	CLIP	FACE	Collated Edge Screws • PROTECH™ or 316 Stainless Steel			
					Edge Screws • PROTECH™ or 316 Stainless Steel			
		EDGE	CLIP	FACE	Collated Face Screws for Pressure Treated • PROTECH™			
					Deck Screws • PROTECH™, 305 Stainless Steel, 316 Stainless Steel			
 Pressure Treated Lumber (KDAT)	SQUARE	EDGE	CLIP	FACE	Collated Edge Screws • PROTECH™ or 316 Stainless Steel			
					Edge Screws • PROTECH™ or 316 Stainless Steel			
		EDGE	CLIP	FACE	Collated Face Screws for Pressure Treated • PROTECH™			
					Deck Screws • PROTECH™, 305 Stainless Steel, 316 Stainless Steel			
 PVC & Composite (Uncapped)	GROOVED	EDGE	CLIP	FACE	STARTER Clips			
					EDGE Clips			●
					EDGEX Clips			●
					EDGEXMETAL Clips			●
	SQUARE	EDGE	CLIP	FACE	Collated Edge Screws • PROTECH™ or 316 Stainless Steel			
					Edge Screws • PROTECH™ or 316 Stainless Steel			
		EDGE	CLIP	FACE	Collated Face Screws for Composite • PROTECH™ or 305 Stainless Steel			
					Composite Screws • PROTECH™ or 316 Stainless Steel			
 Composite (capped)	GROOVED	EDGE	CLIP	FACE	STARTER Clips			
					EDGE Clips			●
					EDGEX Clips			●
					EDGEXMETAL Clips			●
	SQUARE	EDGE	CLIP	FACE	Edge Screws • PROTECH™ or 316 Stainless Steel			
		EDGE	CLIP	FACE	Collated Face Screws for Composite • PROTECH™ or 305 Stainless Steel			
 Cedar & Redwood	SQUARE	EDGE	CLIP	FACE	Edge Screws • 316 Stainless Steel			
					Collated Edge Screws • 316 Stainless Steel			
		EDGE	CLIP	FACE	Deck Screws • 316 Stainless Steel			
 Hardwood	GROOVED	EDGE	CLIP	FACE	STARTER Clips			
					EDGE Clips			●
					EDGEX Clips			●
					EDGEXMETAL Clips			●
	SQUARE	EDGE	CLIP	FACE	Edge Screws • 316 Stainless Steel			

TOOLS								
 ClipDRIVE™	 DRIVE™			 MARKSMAN Pro®	 MARKSMAN Pro® -X1	 MARKSMAN Pro® -NB	 MARKSMAN® Edge	 LEVER®
	Edge	Clip	Face	Edge 3/16 in. Gap	Edge 1/16 in. Gap	Edge 3/16 in. Gap	Edge No Gap	Board Bending and Locking
	●				●		●	●
			●				●	●
								●
	● ■			●		●		●
			● ■					●
								●
●		●						●
●		●						●
●		●						●
	● ■							●
				●		●		●
			● ■					●
								●
●		●						●
●		●						●
●		●						●
				● ▼		● ▼		●
			● ■					●
	● ■			●		●		●
	● ■							●
								●
●		●						●
●		●						●
●		●						●
				● ▼		● ▼		●



CLIPDRIVE

FASTENING TOOL FOR CAMO® UNIVERSAL DECK CLIPS

The Better Way to Fasten CAMO Universal Deck Clips.


Stand tall, target screws easily, and drive clips up to 5X faster with the CAMO ClipDRIVE™, the contractor-grade tool designed to give you the best experience fastening grooved decking.

STAND-UP DECK CLIP FASTENING SYSTEM



TOOL

(p. 7)



FASTENERS

(p. 8-9)



ClipDRIVE™

- Install grooved decking up to 5X faster
- ClipDRIVE is engineered for use with CAMO® Universal Deck Clips on leading grooved decking
- The streamlined tool attaches to your drill, features an adjustable handle, and has a weighted nose for easy screw targeting
- Ergonomically designed to be the right fit for every builder, this heavy-duty yet lightweight tool is easy on the body and reduces fatigue on the job
- CAMO Universal Deck Clips and the ClipDRIVE are backed by a CAMO Warranty



SKU#	DESCRIPTION	QTY	CT./MASTER
0345065	ClipDRIVE	1	1

FASTEN WITH THE ClipDRIVE

**BUILD YOUR DECK UP TO 5X FASTER
USING CAMO LEVER, CLIPS AND
ClipDRIVE TOGETHER.**






UNIVERSAL DECK CLIPS

CAMO® deck clips make installing grooved decking on wood or metal joists easy for everyone.

These hidden deck clips are designed and warranted for use with leading grooved decking and result in a beautiful fastener-free surface that you can install in half the time of other hidden fasteners. Fasten EDGE®, EDGEX®, and EDGEXMETAL® Clips by hand with the included NEVER-MISS™ Guide or standing up with ClipDRIVE™.



STARTER

- Secure the first and last board to achieve a completely fastener-free deck surface on wood joists
- Designed for use with leading grooved deck boards
- Screw tip bites into joist quickly
- Versatile clip can also be used as an L-bracket



SKU#	DESCRIPTION	COVERAGE	QTY	DRIVER BIT	CT./MASTER
0344087	STARTER Clip - For Wood Joists	30 lineal ft. (9m)	25	--	6



EDGE®

- 90° deck patterns on wood joists
- One-pass fasteners—clip sits in place on the joist until you're ready to fasten
- Clip creates 3/16 in. (4.7mm) spacing
- Gusset holds boards down
- Fasten with included NEVER-MISS™ Guide or while standing up with the CAMO ClipDRIVE™ or DRIVE™



SKU#	DESCRIPTION	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0344354	EDGE Clip - 90° Deck Pattern on Wood Joists	90	50 sq. ft. (4.64m ²)	1 - T-15	4
0344359		450	250 sq. ft. (23.22m ²)	2 - T-15	1
0344356		900	500 sq. ft. (46.45m ²)	2 - T-15	1



EDGEX®

- Any deck pattern on wood joists
- One-pass fasteners—clip sits in the groove of the board until you're ready to fasten
- Clip body creates 3/16 in. (4.7mm) spacing
- Gusset holds boards down
- Fasten with included NEVER-MISS™ Guide or while standing up with the CAMO ClipDRIVE™ or DRIVE™



SKU#	DESCRIPTION	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0344554	EDGEX Clip - Any Deck Pattern on Wood Joists	90	50 sq. ft. (4.64m ²)	1 - T-15	4
0344559		450	250 sq. ft. (23.22m ²)	2 - T-15	1
0344556		900	500 sq. ft. (46.45m ²)	2 - T-15	1



EDGEXMETAL®

- Any deck pattern on 14-18GA metal joists
- One-pass fasteners—clip sits in the groove of the board until you're ready to fasten
- Clip body creates 3/16 in. (4.7mm) spacing
- Gusset holds boards down
- Fasten with included NEVER-MISS™ Guide or while standing up with the CAMO ClipDRIVE™ or DRIVE™



SKU#	DESCRIPTION	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0344574	EDGEXMETAL Clip 14-18GA Metal Framing	90	50 sq. ft. (4.64m ²)	1 - T-15	4
0344579		450	250 sq. ft. (23.22m ²)	2 - T-15	1




DRIVE™

DECK FASTENING SYSTEM

Stand up, save your back and knees, and save your time with the award-winning CAMO® DRIVE™ tool.

The DRIVE tool can be used to fasten boards with CAMO Collated Edge and Face Screws and CAMO Universal Deck Clips while standing up.






DRIVE™

- Install deck boards with the cordless stand-up deck fastening tool that attaches to your drill
- For exclusive use with CAMO Collated Edge Screws, Collated Face Screws, and CAMO Universal Deck Clips
- Use DRIVE to fasten square* pressure treated, KDAT, cedar, redwood, composite, PVC, and grooved deck boards
- Tool is easy to use, featuring a reversible handle and quick-change nose pieces
- Fastening while standing allows for fast installations that are easy on the body



SKU#	DESCRIPTION	QTY	CT./MASTER
0345060	DRIVE	1	1

THREE WAYS TO FASTEN WITH DRIVE



Use the Edge nose piece with CAMO Collated Edge Screws (p. 12)



Use the Face nose piece with CAMO Collated Face Screws (p. 12)



Use the Clip nose piece with CAMO Universal Deck Clips (p. 8)

*For most square decking installs, we recommend using secondary spacers to allow for expansion, contraction, and drainage.



COLLATED SCREWS


CAMO Collated screws are exclusively designed for use with the DRIVE tool.

Each fastener was intentionally created and collated for peak performance in its given application. Collated screws are available in 1000 ct. quantities, which cover 285 sq. ft. (26.48 m²) and come with their corresponding driver bits: T-15 for Edge Screws and T-20 for Face Screws.




FOR EXCLUSIVE USE WITH DRIVE TOOL


EDGE



FACE




FOR USE WITH T-15 BIT + EDGE NOSE PIECE



EDGE SCREWS

FOR USE WITH T-20 BIT + FACE NOSE PIECE



FACE SCREWS FOR PRESSURE TREATED AND COMPOSITE



COLLATED EDGE SCREWS (WOOD & COMPOSITE)

- For use with DRIVE and Edge nose piece (orange)
- 2-3/8 in. (60.3 mm) screw secures 1-1-1/2 in. (25.4-38.1mm) thick pressure treated, cedar, redwood, uncapped composite, and PVC decking
- Rake tip augers material out reducing splitting and cracking, trimhead reduces visibility
- T-15 Star Drive limits cam-outs



SKU#	DESCRIPTION	ALLOY	SIZE	QTY	DRIVER BIT	CT/MASTER
0395010	Collated Edge Screws for DRIVE	PROTECH	2-3/8 in. (60.3mm)	1000	2 - T-15	1
0395020S		316 Stainless Steel	2-3/8 in. (60.3mm)	1000	2 - T-15	1



COLLATED FACE SCREWS (PRESSURE TREATED)

- For use with DRIVE and Face nose piece (black)
- 3 in. (76.2mm) screw secures pressure treated boards up to 1-1/2 in. (38.1 mm) thick
- Rake tip augers material out, reducing splitting, and buglehead draws the board tight
- T-20 Star Drive limits cam-outs



SKU#	DESCRIPTION	COLOR	SIZE	QTY	DRIVER BIT	CT/MASTER
0395040	Collated Face Screws (Pressure treated) for DRIVE - PROTECH	Green	3 in. x #10 (76.2mm)	1000	2 - T-20	1
0395042		Tan	3 in. x #10 (76.2mm)	1000	2 - T-20	1
0395047		Red	3 in. x #10 (76.2mm)	1000	2 - T-20	1



COLLATED FACE SCREWS (COMPOSITE)

- For use with DRIVE and Face nose piece (black)
- 2-1/2 in. (63.5mm) screw secures 1 in. (25.4mm) thick composite and PVC deck boards
- Slash point drives quickly, cutting lead edge creates a flush finish
- T-20 Star Drive limits cam-outs



COLOR MATCHER
Use the color matcher on camofasteners.com to find the right color for your board.



SKU#	DESCRIPTION	COLOR	SIZE	QTY	DRIVER BIT	CT/MASTER
0395050	Collated Face Screws (Composite) for DRIVE - PROTECH	Brown	2-1/2 in. x #10 (63.5mm)	1000	2 - T-20	1
0395060		Grey	2-1/2 in. x #10 (63.5mm)	1000	2 - T-20	1
0395070		Tan	2-1/2 in. x #10 (63.5mm)	1000	2 - T-20	1
0395080	Collated Face Screws (Composite) for DRIVE- 305 Stainless Steel	Bright	2-1/2 in. x #10 (63.5mm)	1000	2 - T-20	1

DRIVE SYSTEM ACCESSORIES

Driver bits are engineered specifically for use with the CAMO DRIVE and ClipDRIVE tools. The bits engage quickly and easily with the screw heads with reduced cam-outs, and are color-coded with a band for quick identification—orange and yellow for Edge and Clip fastening, black for Face fastening.

T-15 BIT



- For use with CAMO DRIVE for Edge or Clip fastening and the CAMO ClipDRIVE
- 6.25 in. (160mm) long
- T-15 Star Drive



SKU#	DESCRIPTION	QTY	CT./MASTER
0395715	T-15 Bit Replacement	2/pk	4

T-20 BIT



- For use with CAMO DRIVE for Face fastening
- 6.25 in. (160mm) long
- T-20 Star Drive



SKU#	DESCRIPTION	QTY	CT./MASTER
0395720	T-20 Bit Replacement	2/pk	4

NOSE PIECES



- Replacement nose pieces for use with CAMO DRIVE
- Edge (orange) for fastening Collated Edge Screws
- Clip (yellow-banded silver) for fastening Universal Deck Clips
- Face (black) for fastening Collated Composite and Wood Face Screws



SKU#	DESCRIPTION	QTY
0395801	Replacement Edge Nose Piece	1
0395805	Replacement Clip Nose Piece	1
0395803	Replacement Face Nose Piece	1






MARKSMAN SYSTEM

Achieve a fastener-free surface on square decking with this easy and affordable hidden fastening system.

MARKSMAN Tools automatically establish spacing between boards and direct CAMO Edge Screws into the edge of the board, leaving a smooth deck surface. Plus, the MARKSMAN System is backed by a CAMO warranty for use in leading deck boards.



HIDDEN FASTENER SYSTEM



TOOLS

p. 17



FASTENERS

p. 18-19



ACCESSORIES

p. 20



MARKSMAN PRO®

- For use with CAMO Edge Screws on square composite, PVC, capped composite, cedar, redwood, hardwood, and KDAT deck boards
- Fits most 5- $\frac{1}{4}$ in. (133mm) to 5- $\frac{3}{4}$ in. (146mm) boards
- Creates $\frac{3}{16}$ in. (4.7mm) spacing



SKU#	DESCRIPTION	QTY	CT./MASTER
0345001	MARKSMAN Pro	1	6



MARKSMAN PRO®-X1

- For use with CAMO Edge Screws on pressure treated deck boards
- Fits most 5- $\frac{1}{4}$ in. (133mm) to 5- $\frac{3}{4}$ in. (146mm) boards
- Creates $\frac{1}{16}$ in. (1.59mm) spacing



SKU#	DESCRIPTION	QTY	CT./MASTER
0345002	MARKSMAN Pro - X1	1	6



MARKSMAN PRO®-NB

- For use with CAMO Edge Screws on square composite, PVC, capped composite, cedar, redwood, hardwood, and KDAT narrow deck boards
- Fits most 3- $\frac{1}{4}$ in. (83mm) to 5 in. (127mm) boards
- Creates $\frac{3}{16}$ in. (4.7mm) spacing



SKU#	DESCRIPTION	QTY	CT./MASTER
0345015	MARKSMAN Pro - NB	1	6



MARKSMAN® EDGE

- For use with CAMO Edge Screws on pressure treated deck boards
- Single-shot tool attaches to your drill
- Tool leaves no spacing between boards




SKU#	DESCRIPTION	QTY	CT./MASTER
0345020	MARKSMAN Edge	1	6



EDGE SCREWS

The Best Deck Screws You'll Never See.

CAMO Edge Screws are an innovative, easy-to-install hidden fastener that delivers a high-end look at an affordable price. They are for exclusive use with MARKSMAN Pro tools. Edge Screws feature a patented rake tip that augers material out as you drive to reduce board splitting and a trimhead to reduce visibility and are available in CAMO's proprietary PROTECH coating and 316 Stainless Steel.



PROTECH COATED

PROTECH is our coating that is suitable for use with pressure treated lumber, PVC, composite, and capped composite deck boards in inland environments that face regular exposure to the elements.



316 STAINLESS STEEL MARINE GRADE

316 Stainless Steel is the best fastener for any project and is required for installations in highly corrosive areas like structures that are near saltwater, or that will be exposed to harsh chemicals like chlorine, wood strippers, or ice melt.

DECK BOARD MATERIAL	RECOMMENDED CAMO EDGE SCREW
Pressure Treated Lumber	Stainless Steel or PROTECH Coated
Composite	Stainless Steel or PROTECH Coated
Capped Composite	Stainless Steel or PROTECH Coated (with pre-drilling)
PVC	Stainless Steel or PROTECH Coated
Cedar	Stainless Steel Required
Redwood	Stainless Steel Required
Hardwood or Imported Hardwood	Stainless Steel Required (with pre-drilling)

EDGE SCREWS

- For use with all square deck boards, including, pressure treated, composite, PVC, capped composite, cedar, redwood, and hardwood
- Features a patented rake tip that augers material out as they're driven, reducing the potential for splitting and cracking*
- T-15 Star Drive offers best connection, reducing cam-outs and stripped screws
- Trimhead reduces visibility on the edge of the board
- Available in PROTECH coating and 316 Stainless Steel

**Pre-drilling is required for hardwoods and capped composites*



PROTECH COATED



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0345120	1-7/8 in. (47.6mm) x #7	100	30 sq. ft. (2.79m ²)	--	12
0345128		350	100 sq. ft. (9.29m ²)	1 - T-15	12
0345124		700	200 sq. ft. (18.58m ²)	2 - T-15	4
0345119		1750	500 sq. ft. (46.45m ²)	2 - T-15	4
0345140	2-3/8 in. (60.3mm) x #7	100	30 sq. ft. (2.79m ²)	--	12
0345148		350	100 sq. ft. (9.29m ²)	1 - T-15	12
0345144		700	200 sq. ft. (18.58m ²)	2 - T-15	4
0345139		1750	500 sq. ft. (46.45m ²)	2 - T-15	4

316 STAINLESS STEEL MARINE GRADE



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0345220S	1-7/8 in. (47.6mm) x #7	100	30 sq. ft. (2.79m ²)	--	12
0345228S		350	100 sq. ft. (9.29m ²)	1 - T-15	12
0345224S		700	200 sq. ft. (18.58m ²)	2 - T-15	4
0345219S		1750	500 sq. ft. (46.45m ²)	2 - T-15	1
0345240S	2-3/8 in. (60.3mm) x #7	100	30 sq. ft. (2.79m ²)	--	12
0345248S		350	100 sq. ft. (9.29m ²)	1 - T-15	12
0345244S		700	200 sq. ft. (18.58m ²)	2 - T-15	4
0345239S		1750	500 sq. ft. (46.45m ²)	2 - T-15	1

MARKSMAN ACCESSORIES

Driver Bits are engineered specifically for use with CAMO Edge Screws and MARKSMAN Pro® tools. The built-in shoulder sets automatic depth of drive for maximum holding power, and prevents over-driving the screw.

DRIVER BITS SQUARE BOARDS



- For use with MARKSMAN Pro® tools and Edge Screws
- 3 in. (76.2 mm) long
- T-15 Star Drive



SKU#	DESCRIPTION	QTY	CT./MASTER
0345099	Driver Bit	2/pk	10

DRIVER BITS GROOVED BOARDS



- For use with MARKSMAN Pro® tools and Edge Screws
- 3 in. (76.2 mm) long
- T-15 Star Drive



SKU#	DESCRIPTION	QTY	CT./MASTER
0345089	Driver Bit for Grooved Board	2/pk	10

PRE-DRILL BITS



- For use with MARKSMAN Pro® tools
- Pre-drilling is required for capped composite and hardwood
- 3-5/8 in. (92mm) long



SKU#	DESCRIPTION	QTY	CT./MASTER
0345035	Pre-Drill Bit	2/pk	10





LEVER®

BOARD BENDING AND LOCKING TOOL

Build a better deck by yourself with LEVER®, the one-turn tool that locks-in rows of boards and clips and straightens warped boards.



- Speeds up grooved deck installs—locks-in rows of boards and clips before fastening
- Strong enough to straighten any warped board
- Easily adjusts to wood and metal joists 1½–3 in. wide for jobsite versatility
- Multi-directional lever locks in one turn



SKU#	DESCRIPTION	QTY	CT./MASTER
0345070	LEVER	1	4



LOCKS BOARDS & CLIPS

Use 2-4 LEVER tools across the length of the deck for the best clip installation experience with consistent spacing.



BENDS WARPED BOARDS

One LEVER is strong enough to straighten out warped pressure treated and hardwood boards in one turn.



ANY JOIST MATERIAL

Works on wood and metal joists



ANY JOIST WIDTH

Adjusts to joists 1-½ to 3 in. wide



ANY BOARD TYPE

Straightens and locks any board at any angle

ONE TOOL FOR EVERY JOB



EXTERIOR SCREWS

CAMO offers a high-quality line of exterior screws that deliver on reliability no matter the project.

Each screw starts fast, holds strong, and is designed to last. CAMO Deck, Composite, Trim, and Structural Screws are available in our proprietary PROTECH™ coating. We also carry a line of 305 Stainless Steel and Marine Grade 316 Stainless Steel for cedar, redwood, and hardwoods, and agricultural and coastal applications where you need more corrosion resistance. On top of that, we back our exterior fasteners with a CAMO warranty against rust and corrosion so you can confidently use them in all of your decking projects, substructures, landscaping, fences, pole barns, and more.

RECOMMENDED APPLICATIONS FOR EACH SCREW TYPE			
 DECK • Wood decking projects • Fences • Any exterior wood-to-wood connection	 COMPOSITE • Composite decking projects • PVC decking projects	 TRIM • Wood and PVC Decking • Exterior trim • Deck rails • Balusters • Fences	 STRUCTURAL • Deck substructure • Deck posts • Beams • Handrails • Landscape timbers

DECK SCREWS

- For any wood-to-wood connection
- Type 17 slash point starts fast
- Buglehead and 2/3 thread design draw the board tight
- Star Drive provides more points of contact, reducing cam-outs
- Available in green and tan PROTECH coating to blend into wood surfaces, and 305 Stainless Steel and 316 Stainless Steel for maximum corrosion resistance

PROTECH COATED Deck Screws



GREEN



TAN



GREEN SKU#	TAN SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0341070	0356070	1-¼ in. (31.8mm) x #7	100	30 sq. ft. (2.79m ²)	1 - T-20	12
0341074	0356074		350	100 sq. ft. (9.29m ²)	1 - T-20	4
0341100	0356100	1-⅝ in. (41.3mm) x #8	100	30 sq. ft. (2.79m ²)	1 - T-20	12
0341104	0356104		350	100 sq. ft. (9.29m ²)	1 - T-20	4
0341109	0356109		1750	500 sq. ft. (46.45m ²)	2 - T-20	1
0341130	0356130	2 in. (50.8mm) x #8	100	30 sq. ft. (2.79m ²)	1 - T-20	12
0341134	0356134		350	100 sq. ft. (9.29m ²)	1 - T-20	4
0341139	0356139		1750	500 sq. ft. (46.45m ²)	2 - T-20	1
0341150	0356150	2-½ in. (63.5mm) x #9	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0341154	0356154		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0341159	0356159		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0341170	0356170	3 in. (76.2mm) x #9	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0341174	0356174		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0341179	0356179		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0341190	0356190	3-½ in. (88.9mm) x #10	50	15 sq. ft. (1.39m ²)	1 - T-25	12
0341194	0356194		250	70 sq. ft. (6.5m ²)	1 - T-25	4
0341199	0356199		1350	385 sq. ft. (35.77m ²)	2 - T-25	1
0341200	0356200	4 in. (101.6mm) x #10	50	15 sq. ft. (1.39m ²)	1 - T-25	12
0341204	0356204		250	70 sq. ft. (6.5m ²)	1 - T-25	4
0341209	0356209		1350	385 sq. ft. (35.77m ²)	2 - T-25	1

305 STAINLESS STEEL

Deck Screws



***New and Available Q2 2022**

SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0348100*	1-5/8 in. (41.3mm) x #8	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348104*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348109*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348130*	2 in. (50.8mm) x #8	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348134*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348139*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348150	2-1/2 in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348154		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348159		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348170	3 in. (76.2mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348174		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348179		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348190*	3-1/2 in. (88.9mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348194*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348199*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348200*	4 in. (101.6mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348204*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348209*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1

316 STAINLESS STEEL MARINE GRADE

Deck Screws



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0348100S	1-5/8 in. (41.3mm) x #9	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348104S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348130S	2 in. (50.8mm) x #9	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348134S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348139S		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348150S	2-1/2 in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348154S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348159S		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348170S	3 in. (76.2mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348174S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348179S		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348190S	3-1/2 in. (88.9mm) x #10	50	15 sq. ft. (1.39m ²)	1 - T-25	12
0348194S		250	70 sq. ft. (6.5m ²)	1 - T-25	4
0348199S		1350	385 sq. ft. (35.77m ²)	2 - T-25	1

COMPOSITE SCREWS

- Color-matched screws for composite and PVC decking projects
- Type 99 double slash point augers board material out for fast driving
- Trilobular shank reduces torque and prevents mushrooming
- Reverse thread at top increases pull-down power while cutting lead edge creates a flush finish
- T-20 Star Drive provides more points of contact, reducing cam-outs and limiting bit wear
- Available in PROTECH coating and 316 Stainless Steel for maximum corrosion resistance



COLOR MATCHER

Our Composite screws are available in painted finishes to match popular deck boards. Use the color matcher on camofasteners.com to find the right color for your board.

PROTECH COATED Composite Screws



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER	COLOR	
0349250	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Brown	
0349254		350	100 sq. ft. (9.29m ²)	1 - T-20	4		
0349259		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0349350	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Cedar	
0349354		350	100 sq. ft. (9.29m ²)	1 - T-20	4		
0349359		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0349050	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Dark Brown	
0349054		350	100 sq. ft. (9.29m ²)	1 - T-20	4		
0349059		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		

COMPOSITE SCREWS

PROTECH COATED

Composite Screws



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER	COLOR
0349450	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Grey
0349454		350	100 sq. ft. (9.29m ²)	1 - T-20	4	
0349459		1750	500 sq. ft. (46.45m ²)	2 - T-20	1	
0349550	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Redwood
0349554		350	100 sq. ft. (9.29m ²)	1 - T-20	4	
0349559		1750	500 sq. ft. (46.45m ²)	2 - T-20	1	
0349750	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Sand
0349754		350	100 sq. ft. (9.29m ²)	1 - T-20	4	
0349759		1750	500 sq. ft. (46.45m ²)	2 - T-20	1	
0349950	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Stone Grey
0349954		350	100 sq. ft. (9.29m ²)	1 - T-20	4	
0349959		1750	500 sq. ft. (46.45m ²)	2 - T-20	1	
0349150	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Tan
0349154		350	100 sq. ft. (9.29m ²)	1 - T-20	4	
0349159		1750	500 sq. ft. (46.45m ²)	2 - T-20	1	
0349850	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Winchester
0349854		350	100 sq. ft. (9.29m ²)	1 - T-20	4	
0349859		1750	500 sq. ft. (46.45m ²)	2 - T-20	1	
0349000G	2-½ in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-20	12	Dark Grey
0349004G		350	100 sq. ft. (9.29m ²)	1 - T-20	4	
0349009G		1750	500 sq. ft. (46.45m ²)	2 - T-20	1	

316 STAINLESS STEEL MARINE GRADE

Composite Screws



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER	COLOR	
0367158BS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Brown	
0367159BS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158CS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Cedar	
0367159CS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158ES	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Grey	
0367159ES		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158DS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Dark Brown	
0367159DS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158NS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Stone Grey	
0367159NS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158RS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Redwood	
0367159RS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158SS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Sand	
0367159SS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158TS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Tan	
0367159TS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
0367158WS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Winchester	
0367159WS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		

TRIM SCREWS

- For exterior deck, trim, and finish applications with wood and PVC
- Type 17 slash point starts fast with no pre-drilling
- Trimhead screw reduces visibility in finish projects
- T-15 Star Drive provides more points of contact, reducing cam-outs and limiting bit wear
- Available in green PROTECH coating to blend into wood surfaces, bright 305 and 316 Stainless Steel, and painted 316 Stainless Steel

PROTECH COATED Trim Screws



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER	HEAD
0346100	1-5/8 in. (41.3mm) x #7	100	1 - T-15	12	
0346104		350	1 - T-15	4	
0346130	2 in. (50.8mm) x #7	100	1 - T-15	12	
0346134		350	1 - T-15	4	
0346150	2-1/2 in. (63.5mm) x #7	100	1 - T-15	12	
0346154		350	1 - T-15	4	
0346170	3 in. (76.2mm) x #7	100	1 - T-15	12	
0346174		350	1 - T-15	4	
0346190	3-1/2 in. (88.9mm) x #8	100	1 - T-15	12	
0346194		350	1 - T-15	4	

305 STAINLESS STEEL Trim Screws



***New and Available Q2 2022**

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0350100*	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12
0350104*		350	1 - T-15	4
0350130*	2 in. (50.8mm) x #8	100	1 - T-15	12
0350134*		350	1 - T-15	4
0350150*	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12
0350154*		350	1 - T-15	4
0350170*	3 in. (76.2mm) x #8	100	1 - T-15	12
0350174*		350	1 - T-15	4

316 STAINLESS STEEL MARINE GRADE

Trim Screws



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER	HEAD
O350100S	1- $\frac{5}{8}$ in (41.3mm) x #8	100	1 - T-15	12	
O350104S		350	1 - T-15	4	
O350130S	2 in. (50.8mm) x #8	100	1 - T-15	12	
O350134S		350	1 - T-15	4	
O350150S	2- $\frac{1}{2}$ in. (63.5mm) x #8	100	1 - T-15	12	
O350154S		350	1 - T-15	4	
O350170S	3 in. (76.2mm) x #8	100	1 - T-15	12	
O350174S		350	1 - T-15	4	
O350190S	3- $\frac{1}{2}$ in. (88.9mm) x #8	100	1 - T-15	12	
O350194S		350	1 - T-15	4	

316 STAINLESS STEEL MARINE GRADE - PAINTED

Trim Screws



COLOR MATCHER

Our Stainless Steel Trim screws are available in painted finishes to match popular deck boards.

Use the color matcher on camofasteners.com to find the right color for your board.



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER	COLOR	
0353000ES	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Grey	
0353004ES		350	1 - T-15	4		
0353009ES		1750	2 - T-15	1		
0353050ES	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054ES		350	1 - T-15	4		
0353059ES		1750	2 - T-15	1		
0353000RS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Redwood	
0353004RS		350	1 - T-15	4		
0353009RS		1750	2 - T-15	1		
0353050RS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054RS		350	1 - T-15	4		
0353059RS		1750	2 - T-15	1		
0353000WS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Winchester	
0353004WS		350	1 - T-15	4		
0353009WS		1750	2 - T-15	1		
0353050WS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054WS		350	1 - T-15	4		
0353059WS		1750	2 - T-15	1		
0353000NS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Stone Grey	
0353004NS		350	1 - T-15	4		
0353009NS		1750	2 - T-15	1		
0353050NS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054NS		350	1 - T-15	4		
0353059NS		1750	2 - T-15	1		
0353000GS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Dark Grey	
0353004GS		350	1 - T-15	4		
0353009GS		1750	2 - T-15	1		
0353050GS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054GS		350	1 - T-15	4		
0353059GS		1750	2 - T-15	1		



316 STAINLESS STEEL MARINE GRADE - PAINTED

Trim Screws

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER	COLOR	
0353000SS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Sand	
0353004SS		350	1 - T-15	4		
0353009SS		1750	2 - T-15	1		
0353050SS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054SS		350	1 - T-15	4		
0353059SS		1750	2 - T-15	1		
0353000DS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Dark Brown	
0353004DS		350	1 - T-15	4		
0353009DS		1750	2 - T-15	1		
0353050DS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054DS		350	1 - T-15	4		
0353059DS		1750	2 - T-15	1		
0353000CS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Cedar	
0353004CS		350	1 - T-15	4		
0353009CS		1750	2 - T-15	1		
0353050CS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054CS		350	1 - T-15	4		
0353059CS		1750	2 - T-15	1		
0353100S	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	White	
0353104S		350	1 - T-15	4		
0353109S		1750	2 - T-15	1		
0353150S	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353154S		350	1 - T-15	4		
0353159S		1750	2 - T-15	1		
0353000BS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Brown	
0353004BS		350	1 - T-15	4		
0353009BS		1750	2 - T-15	1		
0353050BS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054BS		350	1 - T-15	4		
0353059BS		1750	2 - T-15	1		
0353000TS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Tan	
0353004TS		350	1 - T-15	4		
0353009TS		1750	2 - T-15	1		
0353050TS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054TS		350	1 - T-15	4		
0353059TS		1750	2 - T-15	1		

STRUCTURAL SCREWS

MULTI-PURPOSE SCREWS



- 1/4 in. (6.35mm) structural screw for deck substructure, deck posts, beams, handrails, landscape timbers, and more
- Sharp point starts fast with no pre-drilling
- Flat head finishes flush and holds strong
- Star Drive provides more points of contact, reducing cam-outs and limiting bit wear
- 3rd party tested screws feature PROTECH green coating



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0347150	2-½ in. (63.5mm) x 1/4 in. (6.35mm)	10	1 - T-30	10
0347154		50	1 - T-30	4
0347159		500	2 - T-30	1
0347170	3 in. (76.2mm)x 1/4 in. (6.35mm)	10	1 - T-30	10
0347174		50	1 - T-30	4
0347179		500	2 - T-30	1
0347190	3-½ in. (88.9mm) x 1/4 in. (6.35mm)	10	1 - T-30	10
0347194		50	1 - T-30	4
0347199		500	2 - T-30	1
0347200	4 in. (101.6mm) x 1/4 in. (6.35mm)	10	1 - T-40	10
0347204		50	1 - T-40	4
0347209		250	2 - T-40	1
0347220	5 in. (127mm) x 1/4 in. (6.35mm)	10	1 - T-40	10
0347224		50	1 - T-40	4
0347229		250	2 - T-40	1
0347240	6 in. (152.4mm) x 1/4 in. (6.35mm)	10	1 - T-40	10
0347244		50	1 - T-40	4
0347249		250	2 - T-40	1
0347260	8 in. (203.2mm) x 1/4 in. (6.35mm)	10	1 - T-40	10
0347269		250	2 - T-40	1
0347270	10 in. (254mm) x 1/4 in. (6.35mm)	10	1 - T-40	10
0347279		250	2 - T-40	1



STRENGTH TEST DATA

Our Structural Screws have been 3rd party tested for screw strength. Find the test data on camofasteners.com

HEAVY DUTY MULTI-PURPOSE SCREWS



- 5/16 in. (7.9mm) structural screw for deck substructure, deck posts, beams, handrails, landscape timbers, and more
- Sharp point starts fast with no pre-drilling
- Flat head finishes flush and holds strong
- Star Drive provides more points of contact, reducing cam-outs and limiting bit wear
- 3rd party tested screws feature PROTECH green coating



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0347490	3-5/8 in. (92mm) x 5/16 in. (7.9mm)	10	1 - T-40	10
0347494		50	1 - T-40	4
0347500	4 in. (101.6mm) x 5/16 in. (7.9mm)	10	1 - T-40	10
0347504		50	1 - T-40	4
0347509		250	2 - T-40	1
0347520	5 in. (127mm) x 5/16 in. (7.9mm)	10	1 - T-40	10
0347524		50	1 - T-40	4
0347540	6 in. (152.4mm) x 5/16 in. (7.9mm)	10	1 - T-40	10
0347544		50	1 - T-40	4
0347549		250	2 - T-40	1
0347560	8 in. (203.2mm) x 5/16 in. (7.9mm)	10	1 - T-40	10
0347569		250	2 - T-40	1

EXTERIOR ACCESSORIES

POWER BITS



T-15



T-20



T-25



T-30



T-40

- Power bits come in each pail of exterior screws for convenience on the jobsite
- 2 in. (50.8mm) long
- Premium Star Drive power bit allows for better connections



SKU#	DESCRIPTION	QTY	CT./MASTER
0333900	T-15 Star Drive Power Bit	3	10
0333910	T-20 Star Drive Power Bit	3	10
0333920	T-25 Star Drive Power Bit	3	10
0333990	T-30 Star Drive Power Bit	3	10
0333930	T-40 Star Drive Power Bit	3	10






STAINLESS STEEL FASTENERS

CAMO offers a comprehensive line of Stainless Steel screws and nails to help you build a better deck in corrosive environments. Our 305 Stainless Steel screws deliver an aesthetic finish and hold up in your connections, while 316 Marine Grade Stainless Steel fasteners offer ultimate protection against corrosion in coastal and agricultural environments.

CORROSION RESISTANCE METER

While our PROTECH coating offers good resistance against mild corrosion, 305 and 316 Stainless Steel are the best alloys to build with in corrosive areas.



305 STAINLESS STEEL

- Exterior structures outside of 3,000 ft. from a saltwater shoreline
- Installations of pressure treated, PVC, composite, and capped composite boards
- Any outdoor project that you want to protect against potential corrosion

316 STAINLESS STEEL

- Coastal, marine, or waterway areas within 3,000 ft of saltwater
- Structures exposed to chlorine, wood strippers, or ice-melting chemicals
- Agricultural environments that deal with chemicals, pesticides, and treatments
- Installations of cedar, redwood, or hardwood decking where tannin release caused by carbon fasteners may cause staining

RECOMMENDED APPLICATIONS FOR EACH FASTENER:

DECK



- Wood decking projects
- Fences
- Any exterior wood-to-wood connection

COMPOSITE



- Composite decking projects
- PVC decking projects

EDGE



- Fasten any square deck board through the edge of the board using the MARKSMAN Pro tools

TRIM



- Decking
- Exterior trim
- Deck rails
- Balusters
- Fences

HAND DRIVE NAILS



- Decking
- Wood-to-wood connections
- Joist hangers

COLLATED NAILS



- Framing
- General construction
- Decks and fences
- Metal joist hangers

DECK SCREWS

- For fastening wood decking and other wood-to-wood connections in corrosive environments
- Type 17 slash point starts fast with no pre-drilling, reducing drive time
- Buglehead draws board tight, increasing pull-down strength
- 2/3 thread design offers premium holding power
- T-25 Star Drive provides more points of contact, reducing cam-outs and limiting bit wear
- Available in 305 Stainless Steel and 316 Stainless Steel

305 STAINLESS STEEL

Deck Screws



SKU#	SIZE	QTY	SIZE	DRIVER BIT	CT./MASTER
0348100*	1-5/8 in. (41.3mm) x #8	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348104*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348109*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348130*	2 in. (50.8mm) x #8	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348134*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348139*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348150	2-1/2 in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348154		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348159		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348170	3 in. (76.2mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348174		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348179		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348190*	3-1/2 in. (88.9mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348194*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348199*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348200*	4 in. (101.6mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348204*		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348209*		1750	500 sq. ft. (46.45m ²)	2 - T-25	1

***New and Available Q2 2022**

316 STAINLESS STEEL MARINE GRADE

Deck Screws



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0348100S	1-5/8 in. (41.3mm) x #9	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348104S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348130S	2 in. (50.8mm) x #9	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348134S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348139S		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348150S	2-1/2 in. (63.5mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348154S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348159S		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348170S	3 in. (76.2mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348174S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348179S		1750	500 sq. ft. (46.45m ²)	2 - T-25	1
0348190S	3-1/2 in. (88.9mm) x #10	100	30 sq. ft. (2.79m ²)	1 - T-25	12
0348194S		350	100 sq. ft. (9.29m ²)	1 - T-25	4
0348199S		1750	500 sq. ft. (46.45m ²)	2 - T-25	1

COMPOSITE SCREWS

- Color-matched screws for securing composite and PVC decking in highly corrosive environments
- Type 99 double slash point augers board material out for fast driving
- Trilobular shank reduces torque and prevents mushrooming
- Reverse thread at top increases pull-down power
- Cutting lead edge creates a flush finish
- T-20 Star Drive provides more points of contact, reducing cam-outs and limiting bit wear



COLOR MATCHER

Our Composite screws are available in painted finishes to match popular deck boards.

Use the color matcher on camofasteners.com to find the right color for your board.

316 STAINLESS STEEL MARINE GRADE Composite Screws



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER	COLOR	
0367158BS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m²)	1 - T-20	4	Brown	
0367159BS		1750	500 sq. ft. (46.45m²)	2 - T-20	1		
0367158CS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m²)	1 - T-20	4	Cedar	
0367159CS		1750	500 sq. ft. (46.45m²)	2 - T-20	1		
0367158ES	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m²)	1 - T-20	4	Grey	
0367159ES		1750	500 sq. ft. (46.45m²)	2 - T-20	1		
0367158DS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m²)	1 - T-20	4	Dark Brown	
0367159DS		1750	500 sq. ft. (46.45m²)	2 - T-20	1		

SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER	COLOR	
O367158NS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Stone Grey	
O367159NS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
O367158RS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Redwood	
O367159RS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
O367158SS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Sand	
O367159SS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
O367158TS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Tan	
O367159TS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		
O367158WS	2-½ in. (63.5mm) x #10	350	100 sq. ft. (9.29m ²)	1 - T-20	4	Winchester	
O367159WS		1750	500 sq. ft. (46.45m ²)	2 - T-20	1		

305 STAINLESS STEEL

Bright Collated Face Screws for Composite

- For exclusive use with the CAMO **DRIVE** Tool



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
O395080	2-½ in. (63.5mm) x #10	1000	2 - T-20	1

EDGE SCREWS

- Fastens all square deck boards: pressure treated, composite, PVC, capped composite, cedar, redwood, and hardwood
- Patented rake tip augers material out as they're driven, reducing the potential for splitting and cracking*
- Trimhead reduces visibility on the edge of the board
- T-15 Star Drive offers best connection, reducing cam-outs and stripped screws

**Pre-drilling is required for hardwoods and capped composites*

316 STAINLESS STEEL MARINE GRADE Edge Screws

- For exclusive use with CAMO **MARKSMAN Pro** Tools



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0345220S	1-7/8 in. (47.6mm) x #7	100	30 sq. ft. (2.79m ²)	--	12
0345228S		350	100 sq. ft. (9.29m ²)	1 - T-15	12
0345224S		700	200 sq. ft. (18.58m ²)	2 - T-15	4
0345219S		1750	500 sq. ft. (46.45m ²)	2 - T-15	1
0345240S	2-3/8 in. (60.3mm) x #7	100	30 sq. ft. (2.79m ²)	--	12
0345248S		350	100 sq. ft. (9.29m ²)	1 - T-15	12
0345244S		700	200 sq. ft. (18.58m ²)	2 - T-15	4
0345239S		1750	500 sq. ft. (46.45m ²)	2 - T-15	1

316 STAINLESS STEEL MARINE GRADE Collated Edge Screws

- For exclusive use with the CAMO **DRIVE** Tool



SKU#	SIZE	QTY	COVERAGE	DRIVER BIT	CT./MASTER
0395020S	2-3/8 in. (60.3mm) x #7	1000	285 sq. ft. (26.5m ²)	2 - T-15	1

TRIM SCREWS

- For fastening wood and PVC deck trim and finish applications in corrosive environments
- Type 17 slash point starts fast with no pre-drilling
- Trimhead screw reduces visibility in finish projects
- T-15 Star Drive provides more points of contact, reducing cam-outs and limiting bit wear
- Available in Bright 305 Stainless Steel, Bright 316 Stainless Steel, and Painted 316 Stainless Steel

305 STAINLESS STEEL

Trim Screws



***New and Available Q2 2022**

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0350100*	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12
0350104*		350	1 - T-15	4
0350130*	2 in. (50.8mm) x #8	100	1 - T-15	12
0350134*		350	1 - T-15	4
0350150*	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12
0350154*		350	1 - T-15	4
0350170*	3 in. (76.2mm) x #8	100	1 - T-15	12
0350174*		350	1 - T-15	4

316 STAINLESS STEEL MARINE GRADE

Trim Screws



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER	HEAD
0350100S	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	
0350104S		350	1 - T-15	4	
0350130S	2 in. (50.8mm) x #8	100	1 - T-15	12	
0350134S		350	1 - T-15	4	
0350150S	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12	
0350154S		350	1 - T-15	4	
0350170S	3 in. (76.2mm) x #8	100	1 - T-15	12	
0350174S		350	1 - T-15	4	
0350190S	3-1/2 in. (88.9mm) x #8	100	1 - T-15	12	
0350194S		350	1 - T-15	4	

STAINLESS STEEL - TRIM SCREWS

316 STAINLESS STEEL MARINE GRADE - PAINTED

Trim Screws



COLOR MATCHER

Our Stainless Steel Trim screws are available in painted finishes to match popular deck boards.

Use the color matcher on camofasteners.com to find the right color for your board.



SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER	COLOR	
0353000ES	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Grey	
0353004ES		350	1 - T-15	4		
0353009ES		1750	2 - T-15	1		
0353050ES	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054ES		350	1 - T-15	4		
0353059ES		1750	2 - T-15	1		
0353000RS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Redwood	
0353004RS		350	1 - T-15	4		
0353009RS		1750	2 - T-15	1		
0353050RS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054RS		350	1 - T-15	4		
0353059RS		1750	2 - T-15	1		
0353000WS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Winchester	
0353004WS		350	1 - T-15	4		
0353009WS		1750	2 - T-15	1		
0353050WS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054WS		350	1 - T-15	4		
0353059WS		1750	2 - T-15	1		
0353000NS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Stone Grey	
0353004NS		350	1 - T-15	4		
0353009NS		1750	2 - T-15	1		
0353050NS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054NS		350	1 - T-15	4		
0353059NS		1750	2 - T-15	1		
0353000GS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Dark Grey	
0353004GS		350	1 - T-15	4		
0353009GS		1750	2 - T-15	1		
0353050GS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054GS		350	1 - T-15	4		
0353059GS		1750	2 - T-15	1		

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER	COLOR	
0353000SS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Sand	
0353004SS		350	1 - T-15	4		
0353009SS		1750	2 - T-15	1		
0353050SS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054SS		350	1 - T-15	4		
0353059SS		1750	2 - T-15	1		
0353000DS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Dark Brown	
0353004DS		350	1 - T-15	4		
0353009DS		1750	2 - T-15	1		
0353050DS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054DS		350	1 - T-15	4		
0353059DS		1750	2 - T-15	1		
0353000CS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Ceder	
0353004CS		350	1 - T-15	4		
0353009CS		1750	2 - T-15	1		
0353050CS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054CS		350	1 - T-15	4		
0353059CS		1750	2 - T-15	1		
0353100S	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	White	
0353104S		350	1 - T-15	4		
0353109S		1750	2 - T-15	1		
0353150S	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353154S		350	1 - T-15	4		
0353159S		1750	2 - T-15	1		
0353000BS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Brown	
0353004BS		350	1 - T-15	4		
0353009BS		1750	2 - T-15	1		
0353050BS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054BS		350	1 - T-15	4		
0353059BS		1750	2 - T-15	1		
0353000TS	1-5/8 in. (41.3mm) x #8	100	1 - T-15	12	Tan	
0353004TS		350	1 - T-15	4		
0353009TS		1750	2 - T-15	1		
0353050TS	2-1/2 in. (63.5mm) x #8	100	1 - T-15	12		
0353054TS		350	1 - T-15	4		
0353059TS		1750	2 - T-15	1		

STAINLESS STEEL POWER BITS



T-15



T-20



T-25

- Power bits come in each pail of exterior screws for convenience on the jobsite.
- 2 in. (50.8mm) long
- Premium Star Drive power bit allows for better connections



SKU#	DESCRIPTION	QTY	CT./MASTER
0333900	T-15 Star Drive Power Bit	3	10
0333910	T-20 Star Drive Power Bit	3	10
0333920	T-25 Star Drive Power Bit	3	10

***New and Available Q2 2022**

316 STAINLESS STEEL MARINE GRADE

Ring Shank Deck Nails



- For fastening wood patios and decks and other exterior wood-to-wood connections in corrosive environments
- Diamond point starts easily
- Ring shank offers superior holding power and withdrawal force
- Checkered flat head provides a large striking surface, reducing hammer slippage for easy drive connection



SKU#	SIZE	QTY	SHANK	CT./MASTER
5246158S*	2-½ in. (63.5mm) x #8	1 lb.	Ring	4
5246155S*		5 lb.	Ring	12
5246178S*	3 in. (76.2mm) x #10	1 lb.	Ring	12
5246175S*		5 lb.	Ring	4
5246188S*	3-¼ in. (82.5mm) x #12	1 lb.	Ring	12
5246185S*		5 lb.	Ring	4
5246195S*	3-½ in. (88.9mm) x #16	25 lb.	Ring	12
5246199S*		25 lb.	Ring	4

316 STAINLESS STEEL MARINE GRADE

Joist Hanger Nails



- For installing joist hangers to wood framing in corrosive environments
- Diamond point starts easily
- Smooth shank is fast and easy to drive
- Short, heavy gauge provides superior holding power
- Flat head provides a large striking surface for easy drive connection



SKU#	SIZE	QTY	SHANK	CT./MASTER
5096095S*	1-½ in. (38.1mm) x #9	5 lb.	Smooth	4

316 STAINLESS STEEL MARINE GRADE

Collated Ring Shank Framing Nails
(21° Plastic Strip)



- For general construction, framing, deck, and fence building in corrosive environments
- Ring shank offers superior holding power and withdrawal force
- Round head provides greater resistance to pull out
- 21° plastic strip fits most 20°-22° framing nailers



SKU#	SIZE	QTY	SHANK
5710258S*	2-3/8 in. (60.3mm) x .113	1000	Ring
5710176S*	3 in. (76.2mm) x .120	1000	Ring
5710286S*	3-1/4 in. (82.5mm) x .120	1000	Ring

316 STAINLESS STEEL MARINE GRADE

Collated Metal Hanger
Nails (31° Paper Strip)



- For metal connectors, joist hangers, joist ties, and hurricane straps in corrosive environments
- Smooth shank provides good holding power
- Round head provides greater resistance to pull out
- Metal hanger nail strip fits most 31° metal connector nailers



SKU#	SIZE	QTY	SHANK
5606090S*	1-1/2 in. (38.1mm) x .148	1000	Smooth

***New and Available Q2 2022**

NOTES

CAMO[®]

The Better Way to Build a Deck

MICHIGAN

2964 Clydon Ave SW
Grand Rapids, MI 49519

NEW YORK

5985 Tarbell Rd
Syracuse, NY 13206

GEORGIA

555 Riverside Pkwy, Ste. 100
Austell, GA 30168

TEXAS

3701 Yale St
Houston, TX 77018

CALIFORNIA

8939 Etiwanda Ave
Rancho Cucamonga, CA 91739

WASHINGTON

4512 70th Ave E Suite 400
Fife, WA 98424

**FOR MORE INFORMATION, PLEASE VISIT WWW.CAMOFASTENERS.COM OR CALL
800-968-6245 TO SPEAK WITH A CAMO PRODUCT EXPERT.**